

Message

From: [Nonresponsive based on revised scope]
Sent: 1/8/2020 10:44:01 AM
To: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: FW: [EXT]RE: CWM Emelle Bid Response for Pile #1 BEFORE DISCOVERY OF UHC'S

Morning.

[Nonresponsive based on revised scope] 275 tons. Please see message below.

[Nonresponsive based on revised scope]

From: [Nonresponsive based on revised scope] <[Nonresponsive based on revised scope]@wm.com>
Sent: Tuesday, December 10, 2019 10:46 AM
To: [Nonresponsive based on revised scope]
Cc: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: [EXT]RE: [Nonresponsive based on revised scope] Bid Response for Pile #1 BEFORE DISCOVERY OF UHC'S

*****CAUTION***** This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.

[Nonresponsive based on revised scope] / Christine

If [Nonresponsive based on revised scope] treat's the metals (lead) < LDR's, the result would be a TSCA only regulated waste (PCB's > 50 ppm). [Nonresponsive based on revised scope] has a TSCA Permit, therefore that would be acceptable for disposal. If that TSCA waste also contained dioxin's, that are not "listed" RCRA waste, it would still be acceptable, again as long as the material did not have a RCRA waste code. UHC's are only regulated, if associated with a RCRA waste, they don't apply for a TSCA waste.

Because the specific source of this contamination can't be documented, listed waste codes would not be correct. However because of this please run a Full TCLP for disposal analysis, to rule out the RCRA concerns. [Nonresponsive based on revised scope]

Ex. 4 CBI

Ex. 4 CBI

Ex. 4 CBI

Please run one (10-point) composite sample per every 275 tons, for Full TCLP, that you want to ship off to CWM Emelle, for disposal analysis.

To answer you question below about why [Nonresponsive based on revised scope] can treat D008 (TSCA/RCRA) Lead soil < 500 ppm PCB's, but we cant if the PCB's are > 500 ppm, is a "facility permit

issue”, its not a RCRA or TSCA issue. The Stabilization Plant at [redacted] has an Air Permit that requires regulated VOC’s to be < 500 ppm. So its our Air permit that’s the problem with a TSCA/RCRA Metals Soil and PCB’s > 500 ppm, because PCB’s are SVOC’s and they would go into to total calculation of VOC’s. The air permit does not apply if we are just going to TSCA Landfill.

Please let me know if you have any questions.

Regards

Nonresponsive based on revised scope

Chemical Waste Management, Inc.
CWM – Emelle, AL
CWM – Lake Charles, LA
WM – Mercury Waste Inc, Union Grove, WI

From: [redacted]

Sent: Friday, December 6, 2019 5:55 AM

To: Wagner, Christine <Wagner.Christine@epa.gov>

Subject: [redacted] Bid Response for Pile #1 BEFORE DISCOVERY OF UHC'S

Chris,

Good morning. Please see attached document from [redacted] for disposal of Pile 1 waste before discovery of the UHC's. I highlighted there conditions on their offer for accepting this waste.

As we were discussing they are limited to 500 ppm HOC's for RCRA/TSCA. That is why they offered value engineering in one of their comments. I attached our disposal analysis that went out with RFQ to reference. Our PCB was 590 ppm which exceeds the 500 ppm HOC limit [redacted] has and that is why they offered value engineering and also a cost for disposal by incineration.

The CWM contact who submitted the offer and who I have been discussing our situation with is [redacted]. Feel free to give [redacted] a call also.

Have a good day and I'll talk to you later.

Nonresponsive based on revised scope

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.

Recycling is a good thing. Please recycle any printed emails.